## <u>Asirvad Micro Finance Limited</u> LCR Disclosure

## Background:

The Reserve Bank of India has prescribed monitoring of sufficiency of NBFC's liquid assets pursuant to RBI/2019-20/88 DOR.NBFC (PD) CC. No.102/03.10.001/2019-20 dated 04 November 2019. The Liquidity Coverage Ratio (LCR) is aimed at measuring and promoting short-term resilience of NBFCs to potential liquidity disruptions by ensuring maintenance of sufficient high quality liquid assets (HQLAs) to survive an acute stress scenario lasting for 30 days.

The ratio comprises of high quality liquid assets (HQLAs) as numerator and net cash outflows in 30 days as denominator. Cash outflows are calculated by multiplying the outstanding balances of various categories or types of liabilities by 1.15 times and cash inflows are calculated by multiplying the outstanding balances of various categories of contractual receivables by 0.75 times.

Accordingly, LCR as at Sep 30, 2022 is as under:

\*Rs in crores

Particulars	As at 30 September 2022	
	Total Unweighted Value (average)	Total Weighted Value (average)
High Quality Liquid Assets		
Cash and bank balances	217.53	217.53
Investment in Govt sec	108.56	108.56
Unencumbered fixed deposits	579.21 <b>905.30</b>	579.21 <b>905.30</b>
Cash Outflows		
Unsecured wholesale funding	-	-
Secured wholesale funding	-	-
Additional requirements, of which	-	-
Outflows related to derivative exposures and other	-	-
collateral requirements		
Outflows related to loss of funding of debt products	-	-
Credit and liquidity facilities	-	-
Other contractual funding obligations	377.51	434.13
Other contingent funding obligations	-	-
	377.51	434.13
Cash Inflows		
Secured lending	-	-
Inflows from fully performing exposures	-	-
Other cash inflows	478.25	358.69
	478.25	358.69

Liquidity coverage ratio	As at 30 September 2022
Total high quality liquid assets (a)	905.30
Total net cash outflows (b) (Refer, note below)	108.53
Liquidity coverage ratio (a)/(b)	834.12%

 $Note: Total\ net\ cash\ outflows\ over\ the\ next\ 30\ days\ =\ Stressed\ Outflows\ -\ Minimum\ of\ (Stressed\ Inflows;\ 75\%\ of\ Stressed\ Outflows).$